

Notice of Allowability

Application No.

10/088,585

Examiner

John Richardson

Applicant(s)

TOLFSEN ET AL.

Art Unit

3641

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to letter dated February 27 2004.
2. ☒ The allowed claim(s) is/are 1-7 and 9-12.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT & REASONS FOR ALLOWANCE

1). An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Gates (703-205-8000) on June 23 2004.

- **Claim 1**, line 2, after **an upper attachment point of a safety belt** insert
wherein the said upper attachment point is affixed to a slide which is
displaceably arranged on a guide rail,
- **Claim 1**, lines 4 - 5, after **vertical direction** insert **by means of a**
mounting arrangement having pairs of intersecting link arms and
articulated points of intersection,
- **Claim 1**, line 7, between **also in a generally** and **vertical direction**
delete in the
- **Cancel claim 8**
- **Claim 11**, lines 11 -12, replace **vertical spring displacement of the**
vehicle seat with **vertical spring displacement of the vehicle seat in**


Art Unit: 3641

the form of a mounting arrangement having pairs of intersecting link arms and articulated points of intersection.

2). The following is an examiner's statement of reasons for allowance:

- The instant application is deemed to be directed to a non-obvious improvement over the inventions patented in U.S. Patent Numbers 4,173,357, 5,015,010, 5,020,856, German Patents Numbers DE 2625417, DE 3222808, DE 3539399 and European Patent Number 0447364A1. The improvement comprises a height adjusting arrangement for a vehicle safety belt wherein the said safety belt incorporates an upper attachment point affixed to a slide which is displaceably arranged on a guide rail, and wherein the vehicle seat uses a specific spring-mounted means.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

 ADVICE SEE 3641

Art Unit: 3641


3). Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Richardson whose telephone number is (703) 305 0764. The examiner can normally be reached on Monday to Thursday from 7.00 AM to 4.30 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Carone, can be reached on (703) 306 4198. The fax phone number for the organization where this application or proceeding is assigned is (703) 305 7687.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 1113.

John Richardson, PE,

June 24 2004.



ACTING SPE 3641